

DECLARATION OF PERFORMANCE

No. 3/2014

1. Unique identification code of the product - type:

Steel section U 75

2. Intended use/es:

It is used indoors as a supporting structure of GK board
Element of frame metal structure in accordance with PN-EN 14195: 2015-02

3. Manufacturer:



4. Authorized representative: n/a

5. System/s of AVCP: system 4

6a. Harmonized standard: PN-EN 14195:2015-02
PN-EN 14195:2015-02

Notified body/ies: Building Research Institute, Warsaw, Group of Testing Laboratories, Certificate of Accreditation no. AB 023, Reports from tests NL - 3182/A/05, NL - 0822|00, 02591/13/R26NK

6b. European assessment document: n/a

7. Declared performance/s:

Essentials characteristics	Performance	Harmonized technical specification
Tensile strength (yield point) in N/mm ²	Rm 285 N/mm ²	PN-EN 14195:2015-02
Reaction to fire *	A1	
Section/Size/Thickness/Tolerance	U/40/75/40/0,5/+ -0,06 U/30/75/30/0,5/+ -0,06 U/40/75/40/0,6/+ -0,06	
Material	DX51D + Z140	

* - when the elements of frame metal structures are designed for use in situations with direct exposure to fire in building construction, and if the elements of the frame metal structures are not covered by organic material, they are classified in Euroclass A1.

8. Appropriate Technical Documentation and/or Specific Technical Documentation: n/a

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

Grzegorz Skierkowski

in Michałowice, 2014 -06-01.

[signature] *Skierkowski Grzegorz*

Punto Pruszyński Sp. z o.o.
Al. Jerozolimskie 268
05-816 Michałowice
REGON: 030103716
NIP: 541-00-02-840
tel. 022 753 25 34 (7)